



Name	Synonym	LIS Mnemonic	Department	Container	Transport	CPT-4	Comment
CALCIUM		CA	CHEMISTRY	Plasma (Li-hep) or Serum	Refrigerate	82310	<b>Methodology:</b> Cresolphthalein Complexone / bichromatic endpoint
HIGH SENSITIVITY C REACTIVE PROTEIN	Cardiac CRP	CRP CARD	CHEMISTRY	Plasma (Li-hep) or Serum	Refrigerate	86141	<b>Methodology:</b> Enzyme Immunoassay/Nephelometry
CBC NO DIFF	COMPLETE BLOOD COUNT WITH NO DIFF	CBC NO DIFF	HEMATOLOGY	LAVENDER (potassium EDTA)	Room temperature within 24 hours. Refrigerate 24-72	85027	Invert several times. <b>Methodology: Automated cell count</b>
CBC WITH MANUAL DIFF	COMPLETE BLOOD COUNT WITH MANUAL DIFF	CBC MD	HEMATOLOGY	LAVENDER (potassium EDTA)	Room temperature within 24 hours. Refrigerate 24-72 hours.	85032	Invert several times. <b>Methodology: Automated cell count</b>
CHLORIDE		CL	CHEMISTRY	Plasma (Li-hep) or Serum	Refrigerate	82435	<b>Methodology:</b> Ion Selective/Diluted/ Indirect Potentiometric
CHOLESTEROL		CHO	CHEMISTRY	Plasma (Li-hep) or Serum	Refrigerate	82465	<b>Methodology:</b> Enzymatic /polychromatic endpt
CK	CREATINE KINASE	CK	CHEMISTRY	Plasma (Li-hep) or Serum	Refrigerate	82550	<b>Methodology:</b> CP/ADP/NADP to NADPH/ Calibrated/ 37°C /bichromatic rate
CK ISOENZYMES	CK-ISO MB CK-MB	CKMB	CHEMISTRY	Plasma (Li-hep) or Serum	Refrigerate	82552	<b>Methodology:</b> Enzymatic Immunoinhibition / bichromatic rate
CORTISOL	CORTISOL	MCORT	CHEMISTRY	Serum	Refrigerate	82533	<b>Methodology:</b> sandwich immunoassay using direct chemiluminescent technology
CO2 - CARBON DIOXIDE		CO2	CHEMISTRY	Plasma (Li-hep) or Serum	Refrigerate	82374	<b>Methodology:</b> Enzymatic/bichromatic rate
COMPREHENSIVE METABOLIC PANEL	COMP MET PANEL	CMP	CHEMISTRY	Plasma (Li-hep) or Serum	Refrigerate	80053	Panel includes GLU, BUN, CRE, CO2, CL, NA, K, CA, AST, ALT, ALP, TB, TP, ALB, BUN/CREATININE, CALC OSMOLALITY, A/G RATIO
CREATININE	CREAT	CRE	CHEMISTRY	Plasma (Li-hep) or Serum	Refrigerate	82565	<b>Methodology:</b> Kinetic Alkaline Picrate / bichromatic rate
CREATININE CLEARANCE	CREAT CLEAR	CRCL	CHEMISTRY	24 HR UR	Refrigerate	82575	<b>Methodology:</b> Kinetic Alkaline Picrate / bichromatic rate
D-DIMER	D-DIMER	D-DIMER	HEMATOLOGY	BLUE	Room temperature within 4 hours or freeze plasma.	85379	Exact amount of blood required. <b>Methodology:</b> immunoturbidimetric assay.
DIRECT BILIRUBIN	D BILI	DB	CHEMISTRY	Plasma (Li-hep) or Serum	Refrigerate	82248	<b>Methodology:</b> Bichromatic endpoint
ELECTROLYTES	Lytes	LYT	CHEMISTRY	Plasma (Li-hep) or Serum	Refrigerate	80051	<b>Methodology:</b> Ion Selective/Diluted/ Indirect Potentiometric
EOSINOPHIL		EOSCT	HEMATOLOGY	LAVENDER (potassium EDTA)	Room temperature within 24 hrs. Refrigerate 24-48 hrs.	85048	Invert several times. <b>Methodology: Automated cell count</b>

Name	Synonym	LIS Mnemonic	Department	Container	Transport	CPT-4	Comment
ETHANOL	ETOH ALCOHOL	ALC	CHEMISTRY	SST	Refrigerate	82055	<b>Methodology:</b> Alcohol Dehydrogenase/UV / bichromatic rate Do not open tube - prep with iodine
FERRITIN		FER	CHEMISTRY	Plasma (Li-hep) or Serum	Refrigerate	82728	<b>Methodology:</b> LOCI® /Chemiluminescence (flash)
FOLATE (FOLIC ACID)		FOL	CHEMISTRY	SST	Refrigerate & protect from light	82746	<b>Methodology:</b> Competitive immunoassay using direct chemiluminescent technology
FSH	FOLLICLE STIMULATING HORMONE	FSH	CHEMISTRY	SST	Refrigerate	83001	<b>Methodology:</b> sandwich immunoassay using direct chemiluminescent technology
FT4	FREE T4		CHEMISTRY	SST	Refrigerate	84439	<b>Methodology:</b> Competitive immunoassay using direct chemiluminescent technology
GGT-GAMMA GLUTAMYL TRANSFERASE	GAMMA GT	GGT	CHEMISTRY	Plasma (Li-hep) or Serum	Refrigerate	82977	<b>Methodology:</b> GCNA/ Calibrated/37°C / bichromatic rate
GLUCOSE	SUGAR FBS FASTING BLOOD SUGAR	GLU	CHEMISTRY	Plasma (Li-hep) or Serum	Refrigerate	82947	<b>Methodology:</b> Hexokinase, UV /bichromatic endpoint
GLUCOSE, CONFIRMATORY	CONFIRMATORY GLU FOR FINGERSTICK	CONGLU	CHEMISTRY	Plasma (Li-hep) or Serum	Refrigerate	82947	<b>Methodology:</b> Hexokinase, UV /bichromatic endpoint
GLYCOSYLATED HEMOGLOBIN	HGA1C HEMOGLOBIN A1C	A1C	CHEMISTRY	LAVENDER (EDTA)	Refrigerate	83036	<b>Methodology:</b> Turbidimetric Immunoassay (TINIA) / colorimetric (Hb), turbidimetric (HbA1c)
HDL CHOLESTEROL	HIGH DENSITY LIPOPROTEIN	HDL	CHEMISTRY	Plasma (Li-hep) or Serum	Refrigerate	83718	<b>Methodology:</b> Liquid Selective Detergent / bichromatic endpoint
HEMOGLOBIN & HEMATOCRIT		HH	HEMATOLOGY	Plasma (Li-hep) or Serum	Room temperature within 24 hrs. Refrigerate 24-48 hrs.	85014/85018	<b>Methodology:</b> Automated cell counter
HEPATIC FUNCTION PANEL	LIVER FUNCTION TEST LFT	HFP	CHEMISTRY	Plasma (Li-hep) or Serum	Refrigerate	80076	Panel includes AST, ALT, ALP, TB, DB, TP, ALB, INDIRECT BILI
HEPATITIS B SURFACE ANTIBODY	HBSAB	AHBS	CHEMISTRY	SST	Refrigerate	86706	<b>Methodology:</b> antibody-capture immunoassay using direct chemiluminescent technology
HEPATITIS A ANTIBODY, TOTAL	HAAB	HAVT	CHEMISTRY	SST	Refrigerate	86708	<b>Methodology:</b> Competitive immunoassay using direct chemiluminescent technology
HEPATITIS B CORE ANTIBODY, TOTAL	HB CORE HBCAB	HBCT	CHEMISTRY	SST	Refrigerate	86704	<b>Methodology:</b> antigen bridging immunoassay using direct chemiluminescent technology
HEPATITIS B SURFACE ANTIGEN	HBSAG	HBS	CHEMISTRY	SST	Refrigerate	86708	<b>Methodology:</b> magnetic particle immunoassay using chemiluminescent technology
HEPATITIS C ANTIBODY	HC AB	AHCV	CHEMISTRY	SST	Refrigerate	86803	<b>Methodology:</b> indirect sandwich immunoassay using chemiluminescent technology
HEPATITIS PROFILE		HEP PROFILE	CHEMISTRY	SST	Refrigerate		Profile includes AHCV, HBS, HBCT, AHBS, & HAVT

Name	Synonym	LIS Mnemonic	Department	Container	Transport	CPT-4	Comment
INFLUENZA A AND B ANTIGEN (RAPID TEST)	Rapid FLU	RAPIDFLU	MICROBIOLOGY	Vial containing 1 ml viral transport media	Room temperature ASAP Storage: Refrigerate	87804 x 2	<b>Methodology:</b> Immunochromatographic membrane assay for rapid detection of influenza A & B antigens. <b>Submit:</b> Place mini-tip swab in 1 ml of viral transport media
IRON		FE	CHEMISTRY	Plasma (Li-hep) or Serum	Refrigerate	83540	<b>Methodology:</b> Ferene without Prior Protein Removal / bichromatic endpoint
IRON BINDING CAPACITY	IBC TOTAL IRON BINDING CAPACITY TIBC	IBC	CHEMISTRY	Plasma (Li-hep) or Serum	Refrigerate	83550	<b>Methodology:</b> Ferene /bichromatic endpoint
LACTIC ACID		LACD	CHEMISTRY	GRAY	On ice	83605	<b>Methodology:</b> Lactate to Pyruvate/ NAD to NADH/ Calibrated/37°C / bichromatic endpoint Patient should not clench fist. Draw on ice, avoid tourniquet.
LD-LACTATE DEHYDROGENASE	LD-LDH	LD	CHEMISTRY	Plasma (Li-hep) or Serum	Refrigerate	83615	<b>Methodology:</b> L-Lactate/NAD to NADH/ Calibrated/ 37°C /bichromatic rate
LIPASE		LIP	CHEMISTRY	Plasma (Li-hep) or Serum	Refrigerate	83690	<b>Methodology:</b> Methyl resorufin ester substrate/ Calibrated/37°C /bichromatic rate
LIPID PROFILE LIPID PANEL		LDP	CHEMISTRY	Plasma (Li-hep) or Serum	Refrigerate	80061	Panel includes TRI, CHO, HDL, LDL, CHOL/HDL RATIO
LITHIUM		LI	CHEMISTRY	RED	Refrigerate	80178	<b>Methodology:</b> colorimetric/biochromatic endpoint
LUTEINIZING HORMONE	LH	LH	CHEMISTRY	SST	Refrigerate	83002	<b>Methodology:</b> sandwich immunoassay using direct chemiluminescent technology
MAGNESIUM	MG	MG	CHEMISTRY	Plasma (Li-hep) or Serum	Refrigerate	83735	<b>Methodology:</b> Colorimetric Methylthymol Blue (MTB) / bichromatic endpoint
MANUAL DIFF		DIFF	HEMATOLOGY	LAVENDER (potassium EDTA)		85007	<b>Methodology:</b> Microscopy
MICRO DIRECT BILIRUBIN	DIRECT BILI	MBPR	CHEMISTRY	HE	Refrigerate & protect from light	82248	<b>Methodology:</b> Bichromatic endpoint
MICRO TOTAL BILIRUBIN	MICRO T. BILI	MTB	CHEMISTRY	Heel Stick- 1 SST microtainer	Refrigerate & protect from light	82247	<b>Methodology:</b> Bichromatic endpoint
MICROALBUMIN, RANDOM	MALB	MICROALB-RANDOM	CHEMISTRY	10 ml aliquot of random urine. Do not acidify.	Refrigerate	82043/82570	<b>Methodology:</b> Enzyme Immunoassay/Nephelometry
MONO TEST		MONO	CHEMISTRY	SST, RED or LAVENDER	Refrigerate	86308	<b>Methodology:</b> Latex Agglutination

Name	Synonym	LIS Mnemonic	Department	Container	Transport	CPT-4	Comment
OCCULT BLOOD FECES		OBF	HEMATOLOGY	Hemoccult slide	Room temperature within 14 days.	82270	Follow directions on slide. Protect from moisture until collection - For screening <b>Methodology:</b> Guiac
OCCULT BLOOD FECES		OBFSS	HEMATOLOGY	Hemoccult slide	Room temperature within 14 days.	82272	Follow direction on slide - For diagnostic testing only. <b>Methodology:</b> Guiac
OP VENIPUNCTURE	OP VENIPUNCTURE	VPOP WVPOP (Wilton)	PHLEB	MISC		36415	
PARATHYROID HORMONE	MPTHI	PTH INTACT	CHEMISTRY	Serum	Refrigerate	83970	<b>Methodology:</b> sandwich immunoassay using direct chemiluminescent technology
PHOSPHORUS		PO4	CHEMISTRY	SST	Refrigerate	84100	<b>Methodology:</b> Phosphomolybdate UV /bichromatic endpoint
PLATELET COUNT		PLT	HEMATOLOGY	LAVENDER (potassium EDTA)	Room temperature within 24 hrs. Refrigerate 24-48 hrs.	85049	Invert several times. <b>Methodology: Automated cell count</b>
POTASSIUM	K	K	CHEMISTRY	Plasma (Li-hep) or Serum	Refrigerate	84132	<b>Methodology:</b> Ion Selective/Diluted/ Indirect Potentiometric
PROLACTIN		PROL	CHEMISTRY	SST	Refrigerate	84146	<b>Methodology:</b> sandwich immunoassay using direct chemiluminescent technology
PROGESTERONE		PROG	CHEMISTRY	SST	Refrigerate	84144	<b>Methodology:</b> competitive immunoassay using direct chemiluminescent technology
PROSTATIC SPECIFIC ANTIGEN	PSA	PSA	CHEMISTRY	SST	Refrigerate	84153	<b>Methodology:</b> sandwich immunoassay using direct chemiluminescent technology
PT PROFILE	PROTHROMBIN TIME PROTIME PT & INR	PTP	HEMATOLOGY	BLUE (sodium citrate)	Room temperature	85610	Exact amount of blood required. <b>Methodology:</b> photo-optical
PTT PROFILE		PTTP	HEMATOLOGY	BLUE (sodium citrate)	Room temperature within 4 hours of collection.	85730	Exact amount of blood required. <b>Methodology:</b> photo-optical
RAPID STREP ANTIGEN		MSTREPA	MICROBIOLOGY	Collect with a Pur-Wraps® rayon swab <b>ONLY</b> (white/blue packaging)	Transport within 24 hrs. at room temperature. Refrigerate at 2 to 8°C if transport is to be delayed, but deliver to the laboratory as soon as possible, as the optimum time for processing a culture and/or testing for rapid antigen is within 48 hours of collection.	87880	<b>Methodology:</b> Color immunochromatographic assay using Dual Label Technology (DLT) for detection of Streptococcus grp A antigen. <b>**NOTE:</b> Collect 2 swabs, for children 18 yrs and younger, for reflex to Throat Group A Strep Culture when rapid antigen is negative. (The American Academy of Pediatrics and the Infectious Diseases Society of America (IDSA) recommend that negative non-culture tests be confirmed by culture. However, the IDSA guidelines leave the decision to the physician as to whether cultures should be performed on adults who have a negative antigen detection test.)

Name	Synonym	LIS Mnemonic	Department	Container	Transport	CPT-4	Comment
RAPID TRICH ANTIGEN	Rapid Trich	RTRICH	MICROBIOLOGY	Collect with a Pur-Wraps® rayon swab <b>ONLY</b> (white/blue packaging).	Transport within 24 hrs. at room temperature.	87899	<b>Methodology:</b> Color immunochromatographic assay for rapid detection of Trichomonas antigen. <b>** NOTE:</b> Testing can <b>ONLY</b> be performed on <b>FEMALES</b> .
RENAL FUNCTION PANEL		Renal Function	CHEMISTRY	Plasma (Li-hep) or Serum	Refrigerate	80069	Panel includes GLU, BUN, CRE, CO2, CL, NA, K, CA, PO4, ALB
RHEUMATOID FACTOR	RF	RF	CHEMISTRY	SST	Refrigerate	86430	Testing performed 3 times per week
RSV ANTIGEN (RAPID Antigen TEST)	RESPIRATORY SYNCYTIAL VIRUS	RSV	MICROBIOLOGY	Nasopharyngeal Swab submitted in 1 ml of viral transport media, or Nasopharyngeal Wash submitted in a sterile container.	Transport immediately at room temperature. Refrigerate at 2 to 8°C if transport is to be delayed, but deliver to the laboratory as soon as possible	87420	<b>Methodology:</b> Rapid immunochromatographic assay for the qualitative detection of RSV. <b>**NOTE: Test only performed for children less than 5 yrs.</b>
SALICYLATE	ACETYLSALICYLIC ACID ASPIRIN	ASA	CHEMISTRY	SST	Refrigerate	80196	<b>Methodology:</b> Ferric Nitrate (Colorimetric) / bichromatic endpoint
SEDIMENTATION RATE PROFILE	ESR	SEDP	HEMATOLOGY	LAVENDER (potassium EDTA)	Refrigerate if unable to deliver to lab within 2 hours.	85651	<b>Methodology:</b> Modified Westergren
SODIUM	NA	NA	CHEMISTRY	Plasma (Li-hep) or Serum	Refrigerate	84295	<b>Methodology:</b> Ion Selective/Diluted/ Indirect Potentiometric
T3, Free	Free T3	MFT3	CHEMISTRY	SST	Refrigerate	84481	<b>Methodology:</b> Competitive immunoassay using direct chemiluminescent technology
T3 TRIIODOTHYRONINE	TOTAL T3	T3	CHEMISTRY	SST	Refrigerate	84480	<b>Methodology:</b> Competitive immunoassay using direct chemiluminescent technology
T4	T4 THYROXINE	T4	CHEMISTRY	SST	Refrigerate	84436	<b>Methodology:</b> Competitive immunoassay using direct chemiluminescent technology
THYROID STIMULATING HORMONE	TSH	TSH	CHEMISTRY	SST	Refrigerate	84443	<b>Methodology:</b> sandwich immunoassay using direct chemiluminescent technology
THYROXINE	T4	T4	CHEMISTRY	SST	Refrigerate	84436	<b>Methodology:</b> Competitive immunoassay using direct chemiluminescent technology
TOTAL BILIRUBIN	TBILI	TB	CHEMISTRY	Plasma (Li-hep) or Serum	Refrigerate	82247	<b>Methodology:</b> Diazo-(J-G) w/blank / bichromatic endpoint
TOTAL PROTEIN		TP	CHEMISTRY	Plasma (Li-hep) or Serum	Refrigerate	84155	<b>Methodology:</b> Biuret / bichromatic endpoint
TOTAL PSA		PSA	CHEMISTRY	SST	Refrigerate	84153	<b>Methodology:</b> sandwich immunoassay using direct chemiluminescent technology

Name	Synonym	LIS Mnemonic	Department	Container	Transport	CPT-4	Comment
TRIGLYCERIDES	TRIG	TRI	CHEMISTRY	Plasma (Li-hep) or Serum	Refrigerate	84478	<b>Methodology:</b> No Glyc/serum Blank/ENZ-Color(GPO) / bichromatic endpoint
TROPONIN I		TRO	CHEMISTRY	Plasma (Li-hep) or Serum	Refrigerate	84484	<b>Methodology:</b> LOCI® /Chemiluminescence (flash) Plasma (Li Hep.) preferred & Serum
Uric Acid		URA	CHEMISTRY	Plasma (Li-hep) or Serum	Refrigerate	84550	<b>Methodology:</b> Uricase / bichromatic endpoint
URINALYSIS	URINALYSIS W/ REFLEX TO MICROSCOPIC	UAP	HEMATOLOGY	12 ml urine collection tube.	Refrigerate or send on ice within one hour of collection.	81003	<b>Methodology:</b> Reagent strip Reflex to Microscopic on positive clarity, protein, nitrite, blood and leukocytes.
URINALYSIS WITH MICROSCOPIC	URINALYSIS WITH MICROSCOPIC	UAP W MICRO	HEMATOLOGY	12ml urine collection tube	Refrigerate or send on ice within one hour of collection	81001	Minimum of 5 cc required for microscopic. <b>Methodology:</b> Reagent strip with Microscopy
URINE CREATININE 24 HOUR	URINE CREAT	UCPR	CHEMISTRY	24 HR UR	Refrigerate	82570	<b>Methodology:</b> Kinetic Alkaline Picrate / bichromatic rate
URINE CREATININE RANDOM	URINE CREAT	UCR	CHEMISTRY	24 HR UR	Refrigerate	82570	<b>Methodology:</b> Kinetic Alkaline Picrate / bichromatic rate
URINE PREG	URINE HCG	HCGU	CHEMISTRY	12 ml urine collection tube.	First morning specimen preferred. Minimum of 3 ml.	81025	<b>Methodology:</b> Immunassay
URINE TOTAL PROTEIN	URINE TP	UTP	CHEMISTRY	24 HR UR	Refrigerate	84156	<b>Methodology:</b> Pyrogallol Red /bichromatic endpoint
VALPROIC ACID	DEPEKENE	DEP	CHEMISTRY	RED	Refrigerate	80164	<b>Methodology:</b> PETINIA /turbidimetric rate
VITAMIN B12	VB12	B12	CHEMISTRY	SST	Refrigerate	82607	<b>Methodology:</b> Competitive immunoassay using direct chemiluminescent technology
WHITE BLOOD CELL COUNT	Leukocyte count	WBC	HEMATOLOGY	LAVENDER (potassium EDTA)	Room temperature within 24 hrs. Refrigerate 24-48 hrs.	85048	Invert several times. <b>Methodology: Automated cell count</b>

revised 5/2018